INTERNATIONAL MYCOLOGICAL INSTITUTE
6 FEB 1987
CAB LIBRARY

# Physiological and Molecular Plant Pathology

## Index to Volume 29

*Acer saccharinum* L., compartmentalization and reaction zone barriers at the margin of decayed sapwood in, 197
Adesanya, S. A., O'Neill, M. J. and Roberts, M. F., Structure-related fungitoxicity of isoflavonoids, 95
Adsorption of *Agrobacterium tumefaciens* to resistant and susceptible plant tissues and to nonbiological surfaces, 361
Age-related resistance expression and the accumulation of glyceollin in soybean leaves infected with *Phytophthora megasperma* f.sp. *glycinea*, 105
*Agrobacterium tumefaciens*, adsorption to resistant and susceptible plant tissues and to nonbiological surfaces, 361
Aist, J. R., see Gold, R. E., 115
Aist, J. R., see Kunoh, H., 69
*Alternaria alternata*, antifungal compounds in the peel of mango fruits and their relation to latent infections of, 173
*Alternaria citri* toxins affecting rough lemon and mandarins, bioassay and host-selectivity of, 293
Anderson, A. J., see Tepper, C. S., 411
Antifungal compounds in the peel of mango fruits and their relation to latent infections of *Alternaria alternata*, 173
Antigenic structure, differences between the wild type and non-pathogenic mutants of *Pseudomonas syringae* pv. *phaseolicola* induced by Tn5 transposon insertions, 381
Apoplast of *Cladosporium fulvum* (syn. *Fulvia fulva*) infected tomato leaves, host pathogen- and interaction-specific proteins in, 159
Arachidonic acid, fatty acids and glucans from *Phytophthora infestans* in hypersensitivity expression in potato tuber, comparison of elicitor activities of, 349
*Arachis hypogaea* L. leaves, peanut green mosaic virus infected; changes in the polypeptides of photosystem II particles, 53
Atkinson, M. M., see Baker, C. J., 217
Ayres, P. G., see Murray, A. J. S., 271

Baker, C. J., Atkinson, M. M., Roy, M. A. and Collmer, A., Inhibition of the hypersensitive response in tobacco by pectate lyase, 217
Banfalvi, Z., see Somylai, G., 369
Barash, I., see Marcus, L., 325
Barley, effects of calcium nitrate and chlortetracycline on papilla formation, ml-o resistance and susceptibility to powdery mildew, 115
Barley coleoptile papillae, elemental composition of, in relation to their ability to prevent penetration by *Erysiphe graminis*, 69
Barley, effects of cytokinins on fungus development and host response in powdery mildew of, 41
Barley seedlings, salt stressed, powdery mildew infection can enhance the accumulation of proline and glycine betaine by, 271
Bashan, Y., see Ben-David, A., 305
Bean, two cultivars display a different response to extracellular components from *Colletotrichum lindemuthianum*, 411
Ben-David, A., Bashan, Y. and Okon, Y., Ethylene production in pepper (*Capiscum annum*) leaves infected with *Xanthomonas campestris* pv. *vesicatoria*, 305

Bhattacharyya, M. K. and Ward, E. W. B., Expression of gene-specific and age-related resistance and the accumulation of glyceollin in soybean leaves infected with *Phytophthora megasperma* f.sp. *glycinea*, 105
Bhattacharyya, M. K. and Ward, E. W. B., Resistance susceptibility and accumulation of glyceollins I-III in soybean organs inoculated with *Phytophthora megasperma* f.sp. *glycinea*, 227
Bioassay and host-selectivity of *Alternaria citri* toxins affecting rough lemon and mandarins, 293
Bostock, R. M., Schaeffer, D. A. and Hammerschmidt, R., Comparison of elicitor activities of arachidonic acid, fatty acids and glucans from *Phytophthora infestans* in hypersensitivity expression in potato tuber, 349
Bowling, D. J. F., see Edwards, M. C., 185
Brem, S., Rast, D. M. and Ruffner, H. P., Partitioning of photosynthate in leaves of *Vitis vinifera* infected with *Uncinula necator* or *Plasmopora viticola*, 285
*Bremia lactucae* (downy mildew) and *Lactuca sativa* (lettuce), gene-dosage effects on the relationship between; relevance to host–parasite specificity, 133
Bushnell, W. R., see Liu, Z., 41
Buurlage, M. B., see De Wit, P. J. G. M., 159

Calcium nitrate, effect on papilla formation, ml-o resistance and susceptibility of barley to powdery mildew, 115
*Capiscum annuum* leaves infected with *Xanthomonas campestris* pv. *vesicatoria*, ethylene production in, 305
Cell, French bean, untreated and silicon-depleted, ultrastructural observations of penetration sites of the cowpea rust fungus in, 27
Cells, mesophyll, exposed to tabtoxin, activities of ribulose-1,5-bisphosphate carboxylase and glutamine synthetase in, 59
Cell walls of plants infected with various pathogens, hydroxyproline-rich glycoprotein accumulation in, 147
Chandler, J. L., see Gardner, J. M., 293
Chlortetracycline, effect on papilla formation, ml-o resistance and susceptibility of barley to powdery mildew, 115
Coleoptile papillae, barley, elemental composition of, in relation to their ability to prevent penetration by *Erysiphe graminis*, 69
*Colletotrichum lagenarium*, role of papillae in the induced systemic resistance of cucumbers against, 405
*Colletotrichum lindemuthianum*, two cultivars of been display a differential response to extracellular components from, 411
Collmer, A., see Baker, C. J., 217
Compartmentalization and reaction zone barriers at the margin of decayed sapwood in *Acer saccharinum* L., 197
Conejero, V. and Granell, A., Stimulation of a viroid-like syndrome and the impairment of viroid infection in *Gynura aurantiaca* plants by treatment with silver ions, 317
Cowpea rust fungus, ultrastructural observations of penetration sites in untreated and silicon-depleted French bean cells, 27
Crute, I. R. and Norwood, J. M., Gene-dosage effects on the relationship between *Bremia lactucae* (downy mildew) and *Lactuca sativa* (lettuce): the relevance to a mechanistic understanding of host–parasite specificity, 133
Cucumbers, role of papillae in the induced systemic resistance against *Colletotrichum lagenarium*, 405
Cytokinins, effects on fungus development and host response in powdery mildew of barley, 41

De Wit, P. J. G. M., Buurlage, M. B. and Hammond, K. E., The occurrence of host pathogen- and interaction-specific proteins in the apoplast of *Cladosporium fulvum* (syn. *Fulvia fulva*) infected tomato leaves, 159
Decayed sapwood in *Acer saccharinum* L., compartmentalization and reaction zone barriers at the margin of, 197
Defence response in tobacco seedlings following inoculation by *Phytophthora nicotinae* var *nicotinae*, modification by Fosetyl-Al; evidence from light microscopy of living tissues, 251
Downy mildew and *Lactuca sativa* (lettuce), gene-dosage effects on the relationship between; relevance to host–parasite specificity, 133
Droby, S., Prusky, D., Jacoby, B. and Goldman, A., Presence of antifungal compounds in the peel of mango fruits and their relation to latent infections of *Alternaria alternata*, 173

Edwards, M. C. and Bowling, D. J. F., The growth of rust germ tubes towards stomata in relation to pH gradients, 185
Elemental composition of barley coleoptile papillae in relation to their ability to prevent penetration by *Erysiphe graminis*, 69
Elicitor activities of arachidonic acid, fatty acids and glucans from *Phytophthora infestans* in hypersensitivity expression in potato tuber; a comparison, 349
El-Kady, S., Somylai, G., Hevesi, M. and Klement, Z., Differences in antigenic structure between the wild type and non-pathogenic mutants of *Pseudomonas syringae* pv. *phaseolicola* induced by Tn5 transposon insertions, 381
Enzymes, pectolytic, produced by virulent and hypovirulent isolates of *Rhizoctonia solani* Kuhn, purification and characterization, 325
*Erysiphe graminis*, elemental composition of barley coleoptile papillae in relation to their ability to prevent penetration by, 69
Esquerré-Tugayé, M. T., see Mazau, D., 147
Ethylene production in pepper (*Capiscum annuum*) leaves infected with *Xanthomonas campestris* pv. *Vesicatoria*, 305
Extracellular components from *Colletotrichum lindemuthianum*, two cultivars of bean display a differential response to, 411

Fatty acids, arachidonic acid and glucans from *Phytophthora infestans* in hypersensitivity expression in potato tubers, comparison of elicitor activities of, 349
Finkler, A., see Marcus, L., 325
Fosetyl-Al modifies the defence response in tabacco seedlings following inoculation by *Phytophthora nicotianae* var *nicotianae;* evidence from light microscopy of living tissues, 251
Fraser, R. S. S., Gerwitz, A. and Morris, G. E. L., Multiple regression analysis of the relationships between tobacco mosaic virus multiplication, the severity of mosaic symptoms, and the growth of tobacco and tomato, 239
French bean cells, untreated and silicon-depleted, ultrastructural observations of penetration sites of the cowpea rust fungus in, 27
Frenching-like symptoms, induction in tobacco by *Macrophomina phaseolina* and its metabolites, 19
*Fulvia fulva* see *Cladosporium fulvum*, 159
Fungitoxicity, structure-related, of isoflavonoids, 95
Fungus, cowpea rust, ultrastructural observations of penetration sites in untreated and silicon-depleted French been cells, 27
Fungus development and host response in powdery mildew of barley, effects of cytokinins on, 41

Gardner, J. M., Kono, Y. and Chandler, J. L., Bioassay and host-selectivity of *Alternaria citri* toxins affecting rough lemon and mandarins, 293
Gene activity changes during expression of the hypersensitive response in *Phaseolus vulgaris* cv. Red Mexican to an avirulent race 1 isolate of *Pseudomonas syringae* pv. *phaseolicola*, 79
Gene-dosage effects on the relationship between *Bremia lactucae* (downy mildew) and *Lactuca sativa* (lettuce): the relevance to a mechanistic understanding of host–parasite specificity, 133
Gene-specific and age-related resistance, expression of, and the accumulation of glyceollin in soybean leaves infected with *Phytophthora megasperma* f.sp. *glycinea*, 105
Gerwitz, A., see Fraser, R. S. S., 239
Gessler, C., see Stumm, D., 405
Glucans, arachidonic acid and fatty acids from *Phytophthora infestans* in hypersensitivity expression in potato tuber, comparison of elicitor activities of, 349
Glutamine synthetase activity in isolated mesophyll cells exposed to tabtoxin, 59
Glyceollin accumulation in soybean leaves infected with *Phytophthora megasperma* f. sp. *glycinea*, expression of gene-specific and age-related resistance and, 105
Glyceollins I-III, accumulation in soybean organs inoculated with *Phytophthora megasperma* f.sp. *glycinea*, 227
Glycine betaine, powdery mildew infection can enhance the accumulation of, by salt stressed barley seedlings, 271
Glycoprotein, hydroxyproline-rich, accumulation in the cell walls of plants infected with various pathogens, 147

Gnanam, A., see Naidu, R. A., 53
Gold, R. E., Aist, J. R., Hazen, B. E., Stolzenburg, M. C., Marshall, M. R. and Israel, H. W., Effects of calcium nitrate and chlortetracycline on papilla formation, ml-o resistance and susceptibility of barley to powdery mildew, 115
Goldman, A., see Droby, S., 173
Granell, A., see Conejero, V., 317
Growth of rust germ tubes towards stomata in relation to pH gradients, 185
Growth of tobacco and tomato, tobacco mosaic virus multiplication, and the severity of mosaic symptoms, multiple regression analysis of the relationships between, 239
Guest, D. I., Evidence from light microscopy of living tissues that Fosetyl-Al modifies the defence response in tobacco seedlings following inoculation by *Phytophthora nicotianae* var *nicotianae*, 251
*Gynura aurantica* plants, stimulation of a viroid-like syndrome and the impairment of viroid infection in, by treatment with silver ions, 317

Hammerschmidt, R., see Bostock, R. M., 349
Hammond, K. E., see De Wit, P. J. G. M., 159
Hazen, B. E., see Gold, R. E., 115
Heath, M. C. and Stumpf, M. A., Ultrastructural observations of penetration sites of the cowpea rust fungus in untreated and silicon-depleted French bean cells, 27
Hevesi, M., see El-Kady, S., 381
Hevesi, M., see Somylai, G., 369
Host–parasite specificity and the relevance of gene-dosage effects on the relationship between downy mildew and *Lactuca sativa* (lettuce), 133
Host-, pathogen- and interaction-specific proteins in the apoplast of *Cladosporium fulvum* (syn. *Fulvia fulva*) infected tomato leaves, 159
Hydroxyproline-rich glycoprotein accumulation in the cell walls of plants infected with various pathogens, 147
Hypersensitive expression in potato tuber, comparison of elicitor activities of arachidonic acid, fatty acids and glucans from *Phytophthora infestans* in, 349
Hypersensitive response inhibition in tobacco by pectate lyase, 217
Hypersensitive response in *Phaseolus vulgaris* cv. Red Mexican to an avirulent race 1 isolate of *Pseudomonas syringae* pv. *phaseolicola*, changes in gene activity during expression of, 79

Isoflavonoids, structure-related fungitoxicity of, 95
Israel, H. W., see Gold, R. E., 115
Israel, H. W., see Kunoh, H., 69

Jacoby, B., see Droby, S., 173

Karjalainen, R. and Lounatmaa, K., Ultrastructure of penetration and colonization of wheat leaves by *Septoria nodorum*, 263
Keen, N. T., see Mayama, S., 1
Klement, Z., see El-Kady, S., 381
Klement, Z., see Somylai, G., 369
Kluepful, D. A. and Pueppke, S. G., Adsorption of *Agrobacterium tumefaciens* to resistant and susceptible plant tissues and to nonbiological surfaces, 361
Koltin, Y., see Marcus, L., 325
Kondorosi, A., see Somylai, G., 369
Kono, Y., see Gardner, J. M., 293
Krishnan, M., see Naidu, R. A., 53
Kunoh, H., Aist, J. R. and Israel, H. W., Elemental composition of barley coleoptile papillae in relation to their ability to prevent penetration by *Erysiphe graminis*, 69

*Lactuca sativa* (lettuce), gene-dosage effects on the relationship between downy mildew and; relevance to host–parasite specificity, 133

Leaves, *Arachis hypogaea* L., peanut green mosaic virus infected; changes in the polypeptides of photosystem II particles, 53
Leaves, oat, phytoalexin elicitor of victorin in, 1
Leaves, pepper (*Capiscum annuum*), infected with *Xanthomonas compestris* pv. *vesicatoria*, ethylene production in, 305
Leaves, soybean, infected with *Phytophthora megasperma* f.sp. *glycinea*, expression of gene-specific and age-related resistance and the accumulation of glyceollin in, 105
Leaves, tomato, *Cladosporium fulvum* infected, host-, pathogen- and interaction-specific proteins in the apoplast, 159
Leaves of *Vitis vinifera* infected with *Uncinula necator* or *Plasmopora viticola*, partitioning of photosynthate in, 285
Leaves, wheat, ultrastructure of penetration and colonization by *Septoria nodorum*, 263
Lemen, rough, and mandarins, bioassay and host-selectivity of *Alternaria citri* toxins affecting, 293
Light microscopy of living tissues provides evidence that Fosetyl-Al modifies the defence response in tobacco seedlings following inoculation by *Phytophthora nicotianae* var *nicotianae*, 251
Liu, Z. and Bushnell, W. R., Effects of cytokinins on fungus development and host response in powdery mildew of barley, 41
Longland, A., see Slusarenko, A. J., 79
L-ornithine transcarbamoylase, phaseolotoxin-insensitive, from *Pseudomonas syringae* pv. *phaseolicola*, 391
Lounatmaa, K., see Karjalainen, R., 263

*Macrophomina phaseolina*, induction of frenching-like symptoms in tobacco by, 19
Mandarins, bioassay and host-selectivity of *Alternaria citri* affecting rough lemon and, 293
Mango fruits, antifungal compounds in the peel of, and relation to latent infections of *Alternaria alternata*, 173
Marcus, L., Barash, I., Sneh, B., Koltin, Y. and Finkler, A., Purification and characterization of pectolytic enzymes produced by virulent and hypovirulent isolates of *Rhizoctonia solani* Kuhn, 325
Marshall, M. R., see Gold, R. E., 115
Mayama, S., Tani, T., Ueno, T., Midland, S. L., Sims, J. J. and Keen, N. T., The purification of victorin and its phytoalexin elicitor activity in oat leaves, 1
Mazau, D. and Esquerré-Tugayé, M. T., Hydroxyproline-rich glycoprotein accumulation in the cell walls of plants infected by various pathogens, 147
Mendelson, N. H., see Monod, M., 19
Mesophyll cells exposed to tabtoxin, activities of ribulose-1,5-bisphosphate carboxylase and glutamine synthetase in, 59
Midland, S. L., see Mayama, S., 1
Misaghi, I. J., see Monod, M., 19
Monod, M., Misaghi, I. J., Mendelson, N. H. and Surana, U. C., Induction of frenching-like symptoms in tobacco by *Macrophomina phaseolina* and its metabolites, 19
Morris, G. E. L., see Fraser, R. S. S., 239
Multiple regression analysis of the relationships between tobacco mosaic virus multiplication, the severity of mosaic symptoms, and the growth of tobacco and tomato, 239
Murray, A. J. S. and Ayres, P. G., Infection with powdery mildew can enhance the accumulation of proline and glycine betaine by salt stressed barley seedlings, 271

Naidu, R. A., Krishnan, M., Nayudu, M. V. and Gnanam, A., Studies on peanut green mosaic virus infected peanut (*Arachis hypogaea* L.) leaves. III. Changes in the polypeptides of photosystem II particles, 53
Nayudu, M. V., see Naidu, R. A., 53
Norwood, J. M., see Crute, I. R., 133

Oat leaves, phytoalexin elicitor activity of victorin in, 1
Okon, Y., see Ben-David, A., 305
O'Neill, M. J., see Adesanya, S. A., 95

Papilla formation, ml-o resistance and susceptibility of barley to powdery mildew, effects of calcium nitrate and chlortetracycline on, 115

Papillae, coleoptile, barley, elemental composition of, in relation to their ability to prevent penetration by *Erysiphe graminis*, 69
Papillae, role in the induced systemic resistance of cucumbers against *Colletotrichum lagenarium*, 405
Peanut green mosaic virus infected peanut (*Arachis hypogaea* L.) leaves; changes in the polypeptides of photosystem II particles, 53
Pearce, R. B. and Woodward, S., Compartmentalization and reaction zone barriers at the margin of decayed sapwood in *Acer saccharinum* L., 197
Pectolytic enzymes produced by virulent and hypovirulent isolates of *Rhizoctonia solani* Kuhn, purification and characterization, 325
Peel of mango fruits, antifungal compounds in, and their relation to latent infections of *Alternaria alternata*, 173
Pegg, G. F., see Woodward, S., 337
Penetration and colonization of wheat leaves by *Septoria nodorum*, ultrastructure of, 263
Penetration sites of the cowpea rust fungus in untreated and silicon-depleted French bean cells, ultrastructural observations of, 27
Pepper (*Capiscum annuum*) leaves infected with *Xanthomonas campestris* pv. *vesicatoria*, ethylene production in, 305
pH gradients, the growth of rust germ tubes towards stomata in relation to, 185
Phaseolotoxin-insensitive L-ornithine transcarbamoylase from *Pseudomonas syringae* pv. *phaseolicola*, 393
*Phaseolus vulgaris* cv. Red Mexican, gene activity changes during expression of the hypersensitive response in, to an avirulent race 1 isolate of *Pseudomonas syringae* pv. *phaseolicola*, 79
Photosynthate partitioning in leaves of *Vitis vinifera* infected with *Uncinula necator* or *Plasmopora viticola*, 285
Photosystem II particles, changes in the polypeptides; studies on peanut green mosaic virus infected peanut (*Arachis hypogaea* L.) leaves, 53
Phytoalexin elicitor activity of victorin in oat leaves, 1
*Phytophthora megasperma* f.sp. *glycinea*, expression of gene-specific and age-related resistance and the accumulation of glyceollin in soybean leaves infected with, 105
*Phytophthora megasperma* f.sp. *glycinea*, resistance susceptibility and accumulation of glyceollins I-III in soybean organs inoculated with, 227
*Plasmopora viticola*, partitioning of photosynthate in leaves of *Vitis vinifera* infected with, 285
Polypeptides of photosystem II particles, changes in; studies on peanut green mosaic virus infected peanut (*Arachis hypogaea* L.) leaves, 53
Powdery mildew of barley, effects of cytokinins on fungus development and host response in, 41
Powdery mildew, effects of calcium nitrate and chlortetracycline on papilla formation, ml-o resistance and susceptibility of barley to, 115
Powdery mildew infection can enhance the accumulation of proline and glycine betaine by salt stressed barley seedlings, 271
Potato tuber, comparison of elicitor activities of arachidonic acid, fatty acids and glucans from *Phytophthora infestans* in hypersensitivity expression in, 349
Proline and glycine betaine, powdery mildew infection can enhance the accumulation of, by salt stressed barley seedlings, 271
Proteins, host-, pathogen- and interaction-specific, in the apoplast of *Cladosporium fulvum* (syn. *Fulvia fulva*) infected tomato leaves, 159
Prusky, D., see Droby, S., 173
*Pseudomonas syringae* pv. *phaseolicola*, changes in gene activity during expression of the hypersensitive response in *Phaseolus vulgaris* cv. Red Mexican to an avirulent race 1 isolate of, 79
*Pseudomonas syringae* pv. *phaseolicola*, differences in antigenic structure between the wild type and non-pathogenic mutants of, induced by Tn5 transposon insertions, 381
*Pseudomonas syringae* pv. *phaseolicola*, isolation and characterization of non-pathogenic and reduced virulence mutants of, induced by Tn5 transposon insertions, 369
*Pseudomonas syringae* pv. *phaseolicola*, phaseolotoxin-insensitive L-ornithine transcarbamoylase from, 393
Pueppke, S. G., see Kluepful, D. A., 361

Rast, D. M., see Brem, S., 285
Resistance, gene-specific and age-related, and the accumulation of glyceollin in soybean leaves infected with *Phytophthora megasperma* f.sp. *glycinea*, 105

Resistance, ml-o, and susceptibility of barley to powdery mildew, effects of calcium nitrate and chlortetracycline on papilla formation and, 115
Resistance susceptibility and accumulation of glyceollins I-III in soybean organs inoculated with *Phytophthora megasperma* f.sp. *glycinea*, 227
Resistance, systemic, induced, of cucumbers against *Colletotrichum lagenarium*, role of papillae in, 405
Resistant and susceptible isolines of tomato, rishitin accumulation elicited in, by mycelial extracts and filtrates from cultures of *Verticillium albo-atrum*, 337
Resistant and susceptible plant tissues, adsorption of *Agrobacterium tumefaciens* to, 361
*Rhizoctonia solani* Kuhn, purification and characterization of pectolytic enzymes produced by virulent and hypovirulent isolates of, 325
Ribulose-1,5-bisphosphate carboxylase, activity in isolated mesophyll cells exposed to tabtoxin, 59
Rishitin accumulation elicited in resistant and susceptible isolines of tomato by mycelial extracts and filtrates from cultures of *Verticillium albo-atrum*, 337
Roberts, M. F., see Adesanya, S. A., 95
Roy, M. A., see Baker, C. J., 217
Ruffner, H. P., see Brem, S., 285
Rust germ tubes, growth towards stomata in relation to pH gradients, 185

Salt stressed barley seedlings, powdery mildew infection can enhance the accumulation of proline and glycine by, 271
Sapwood, decayed, in *Acer saccharinum* L., compartmentalization and reaction zone barriers at the margin of, 197
Schaeffer, D. A., see Bostock, R. M., 349
Seedlings, barley, salt stressed, powdery mildew infection can enhance the accumulation of proline and glycine betaine by, 271
Seedlings, tobacco, evidence from light microscopy of living tissues that Fosetyl-Al modifies the defence response following inoculation by *Phytophthora nicotinae* var *nicotinae*, 251
*Septoria nodorum*, ultrastructure of penetration and colonization of wheat leaves by, 263
Shepherd, M. G., see Templeton, M. D., 393
Silicon-depleted French bean cells, ultrastructural observations of penetration sites of the cowpea rust fungus in, 27
Silver ions, stimulation of a viroid-like syndrome and the impairment of viroid infection in *Gynura aurantica* plants by treatment with, 317
Sims, J. J., see Mayama, S., 1
Slusarenko, A. J. and Longland, A., Changes in gene activity during expression of the hypersensitive response in *Phaseolus vulgaris* cv. Red Mexican to an avirulent race 1 isolate of *Pseudomonas syringae* pv. *phaseolicola*, 79
Sneh, B., see Marcus, L., 325
Somylai, G., Hevesi, M., Banfalvi, Z., Klement, Z. and Kondorosi, A., Isolation and characterization of non-pathogenic and reduced virulence mutants of *Pseudomonas syringae* pv. *phaseolicola* induced by Tn5 transposon insertions, 369
Somylai, G., see El-Kady, S., 381
Soybean leaves infected with *Phytophthora megasperma* f.sp. *glycinea*, expression of gene-specific and age-related resistance and the accumulation of glyceollin in, 105
Soybean organs inoculated with *Phytophthora megasperma* f.sp. *glycinea*, resistance susceptibility and accumulation of glyceollins I-III in, 227
Stolzenburg, M. C., see Gold, R. E., 115
Stomata, the growth of rust germ tubes towards, in relation to pH gradients, 185
Stress: powdery mildew infection can enhance the accumulation of proline and glycine betaine by salt stressed barley seedlings, 271
Structure-related fungitoxicity of isoflavonoids, 95
Stumm, D. and Gessler, C., Role of papillae in the induced systemic resistance of cucumbers against *Colletotrichum lagenarium*, 405
Stumpf, M. A., see Heath, M. C., 27
Sullivan, P. A., see Templeton, M. D., 393

Surana, U. C., see Monod, M., 19
Surfaces, nonbiological, adsorption of *Agribacterium tumefaciens* to, 361

Tabtoxin, activities of ribulose-1,5-bisphosphate carboxylase and glutamine synthetase in isolated mesophyll cells exposed to, 59
Tani, T., see Mayama, S., 1
Templeton, M. D., Sullivan, P. A. and Shepherd, M. G., Phaseolotoxin-insensitive L-ornithine transcarbamoylase from *Pseudomonas syringae* pv. *phaseolicola*, 393
Tepper, C. S. and Anderson, A. J., Two cultivars of bean display a different response to extracellular components from *Colletotrichum lindemuthianum*, 411
Tobacco, induction of frenching-like symptoms in, by *Macrophomina phaseolina* and its metabolites, 19
Tobacco, inhibition of the hypersensitive response to pectate lyase, 217
Tobacco mosaic virus multiplication, the severity of mosaic symptoms, and the growth of tobacco and tomato, multiple regression analysis of the relationships between, 239
Tobacco seedlings, evidence from light microscopy of living tissues that Fosetyl-Al modifies the defence response following inoculation by *Phytophthora nicotinae* var *nicotinae*, 251
Tobacco and tomato, multiple regression analysis of the relationships between tobacco mosaic virus multiplication, the severity of mosaic symptoms, and the growth of, 239
Tomato leaves, *Cladosporium fulvum* infected, host pathogen- and interaction-specific proteins in the apoplast, 159
Tomato, multiple regression analysis of the relationships between tobacco mosaic virus multiplication, the severity of mosaic symptoms, and the growth of tobacco and, 239
Tomato, rishitin accumulation elicited in resistant and susceptible isolines of, by mycelial extracts and filtrates from cultures of *Verticillium albo-atrum*, 337
Toxins, *Alternaria citri*, affecting rough lemon and mandarins, bioassay and host-selectivity of, 293
Tn5 transposon insertions, differences in antigenic structure between the wild type and non-pathogenic mutants of *Pseudomonas syringae* pv. *phaseolicola* induced by, 381
Tn5 transposon insertions, isolation and characterization of non-pathogenic and reduced virulence mutants of *Pseudomonas syringae* pv. *phaseolicola* induced by, 369
Tubes, rust germ, growth towards stomata in relation to pH gradients, 185
Turner, J. G., Activities of ribulose-1,5-bisphosphate carboxylase and glutamine synthetase in isolated mesophyll cells exposed to tabtoxin, 59

Ueno, T., see Mayama, S., 1
Ultrastructural observations of penetration sites of the cowpea rust fungus in untreated and silicon-depleted French bean cells, 27
Ultrastructure of penetration and colonization of wheat leaves by *Septoria nodorum*, 263
*Uncinula necator*, partitioning of photosynthate in leaves of *Vitis vinifera* infected with, 285

*Verticillium albo-atrum*, rishitin accumulation elicited in resistant and susceptible isolines of tomato by mycelial extracts and filtrates from cultures of, 337
Victorin, purification, and phytoalexin elicitor activity in oat leaves, 1
Viroid-like syndrome stimulation and the impairment of viroid infection in *Gynura aurantiaca* plants by treatment with silver ions, 317
Virulent and hypovirulent isolates of *Rhizoctonia solani* Kuhn, purification and characterization of pectolytic enzymes produced by, 325
*Vitis vinifera* leaves infected with *Uncinula necator* or *Plasmopora viticola*, partitioning of photosynthate in, 285

Ward, E. W. B., see Bhattacharyya, M. K., 105, 227
Wheat leaves, ultrastructure of penetration and colonization by *Septoria nodorum*, 263
Woodward, S. and Pegg, G. F., Rishitin accumulation elicited in resistant and susceptible isolines of tomato by mycelial extracts and filtrates from cultures of *Verticillium albo-atrum*, 337
Woodward, S., see Pearce, R. B., 197

*Xanthomonas campestris* pv. *vesicatoria*, ethylene production in pepper (*Capiscum annuum*) leaves infected with, 305

Printed in Great Britain by Henry Ling Ltd., at the Dorset Press, Dorchester, Dorset